




RING MEASURING MANUAL

September, 2025



RING MEASURING MANUAL

CHOOSING THE RIGHT SIZE RING

The ring-measuring manual provides a common method for ring measurement to help you find the perfect size.

TYPE OF RINGS AND WEARABILITY

This section is made to guide you through the process of choosing the right ring size before ordering a Pomellato ring. Wearability means adaptability of the ring shape to the finger. Depending on the different variables, wearability does not have any fixed parameter nor is it coded by a metric system. Suggestions could be made regarding the type of wearability.

We emphasize on the ring sizer being the reference tool for measuring a ring size. Therefore when ordering a Pomellato ring you should choose the size according the size measured by the ring sizer. However in certain Pomellato collection the ring size might change depending on its wearability type.

Listed below you will find the three kinds of wearability:

1 . Standard wearability

Consider that the ring wearability is similar to that indicated by the ring sizer.

1 . Loose wearability

Consider that the ring wearability is larger than the finger size indicated by the ring sizer, up to 2 sizes more.

1 . Tight wearability

Consider that the ring wearability is smaller than the finger size indicated by the ring sizer; up to 2 sizes less.

In the table *How to order a Pomellato ring* you can find all the information needed to order a Pomellato ring:

- COLLECTION
- OLD CODE
- NEW CODE
- WEARABILITY
- RING SIZER
- SUGGESTED SIZE TO ORDER

HOW TO ORDER A POMELLATO RING

COLLECTION	CODE old	CODE new	WEARABILITY	RING SIZER	SUGGESTED SIZE TO ORDER
BAHIA	A.B002PO7OITZ	PAB0023O7000000OI	LOOSE	52	51
BRERA	A.B910/B9	PAB9100O2WHRDB000	STANDARD	52	52
	A.B910PO7	PAB9101O700000000	STANDARD	52	52
CAPRI	A.B104O7ZFCP	PAB1040O7000000CP	TIGHT	52	53
	A.B104O7OIGL	PAB1040O7000000OI	TIGHT	52	53
COLPO DI FULMINE	A.B106O/B9/OI	PAB1060O2WHRDB0IY	TIGHT	52	53
	A.B106R/B9/OE	PAB1061O2WHRDB0EY	TIGHT	52	53
ICONICA	A.910650GBB9	PA91060O2WHRDB000	TIGHT	52	52
	A.910650MXBB9	PA9106DO2WHRDB000	TIGHT	52	52
	A.910650MBB9	PA9106EO2WHRDB000	STANDARD	52	52
		PAB7120O2WHRDB000	STANDARD	52	52
	A.B712PP/BB	PAB7120O7000DBK00	STANDARD	52	52
M'AMA NON M'AMA	A.B004O/O7AD	PAB0040O7000000AD	LOOSE	52	52
	A.B004O/O7GE	PAB0040O7000000GE	LOOSE	52	52
	A.B004R/O7OG	PAB0041O7000000OG	LOOSE	52	52
	A.B004R/O7OI	PAB0041O7000000OI	LOOSE	52	52
	A.B004R/O7OY	PAB0041O7000000OY	LOOSE	52	52
	A.B004T/O7GR	PAB0042O7000000GR	LOOSE	52	52
	A.B213TBRO7GR	PAB2130O7000DBRGR	STANDARD	52	52
	A.B213TBRO7OY	PAB2130O7000DBRTL	STANDARD	52	52
	A.B703BO7/AD	PAB7031O7000DB0AD	LOOSE	52	52
	A.B703BO7/OE	PAB7031O7000DB0OE	LOOSE	52	52
	A.B703BO7/OG	PAB7031O7000DB0OG	LOOSE	52	52
	A.B703BO7/OI	PAB7031O7000DB0OI	LOOSE	52	52
	A.B703BO7/OY	PAB7031O7000DB0OY	LOOSE	52	52
	A.B909BB7ON	PAB9090O7000DBKON	LOOSE	52	52
	A.B909O7ZRCTU	PAB9091O7000000TU	LOOSE	52	52
	A.B909O7ZAL	PAB9091O7000000ZA	LOOSE	52	52

Pomellato

HOW TO ORDER A POMELLATO RING

COLLECTION	CODE old	CODE new	WEARABILITY	RING SIZER	SUGGESTED SIZE TO ORDER
NUDO	A.B201/O6/OV	PAB2010O6000000OV	STANDARD	52	52
	A.B401BBI2ADB	PAB4011O2000DBXAD	STANDARD	52	52
	A.B403/O6/OV	PAB4030O6000000OV	LOOSE	52	52
	A.B501/O6/BR	PAB5010O6000DBR00	STANDARD	52	52
	A.C029O6QRTTG	PAC0290O7000TTGQR	STANDARD	52	52
		PAC1009O60000DBFY	STANDARD	52	52
NUVOLA	A.B813BRO705	PAB8130O7BKRDDBR05	STANDARD	52	52
	A.B813BRO710	PAB8131O7BKRDDBR10	STANDARD	52	52
	A.B813BRO715	PAB8132O7BKRDDBR15	STANDARD	52	52
POMELLATO TOGETHER		PAC0100O2BWRZA000	STANDARD	52	52
		PAC0100O7BKRS000	STANDARD	52	52
		PAC0100O7BRKRU000	STANDARD	52	52
RITRATTO	A.B708GB7/QF	PAB7080O7000DB0QF	STANDARD	52	52
	A.B713MBB7/M	PAB7132O7000DBKMY	STANDARD	52	52
SABBIA	A.B204/O7/BB	PAB2040O7000DBK00	STANDARD	52	52
	A.B407/O7/BB	PAB4070O7000DBK00	LOOSE	52	52
	A.B903MO7/B9	PAB9031O7000DB000	STANDARD	52	52
	A.B903MO7/BB	PAB9031O7000DBK00	STANDARD	52	52
	A.B903MO7/BR	PAB9031O7000DBR00	STANDARD	52	52
	A.B903PO7/BB	PAB9032O7000DBK00	LOOSE	52	52

HOW TO ORDER A POMELLATO RING

POMELLATO SIZE	EU	US	UK	INTERNAL DIAMETER (MM)	INTERNAL DIAMETER (INCHES)
44	4	3	F	14,00	0,551
45	5	3 ¼	G	14,30	0,563
46	6	3 ¾	H	14,60	0,575
47	7	4 ¼	I	15,00	0,591
48	8	4 ½	I ½	15,30	0,602
49	9	4 ¾	J	15,61	0,615
50	10	5 ¼	K	15,92	0,627
51	11	5 ¾	L ½	16,24	0,639
52	12	6	M	16,56	0,652
53	13	6 ½	N	16,88	0,665
54	14	6 ¾	O	17,20	0,677
55	15	7 ¼	O ½	17,52	0,690
56	16	7 ½	P	17,83	0,702
57	17	8	Q	18,15	0,715
58	18	8 ¼	R	18,47	0,727
59	19	8 ¾	R ½	17,79	0,740
60	20	9	S	19,11	0,752
61	21	9 ½	T	19,43	0,765
62	22	10	T ½	19,74	0,777
63	23	10 ½	U ½	20,06	0,790
64	24	11	V ½	20,38	0,802
65	25	11 ¼	W	20,70	0,815
66	26	11 ¾	X	21,02	0,828
67	27	12	X ½	21,34	0,840
68	28	12 ½	Y ½	21,66	0,853
69	29	12 ¾	Z	21,97	0,865
70	30	13 ¼	Z ¾	22,29	0,878